

# Flu Vaccine Consent Form

School Name: \_\_\_\_\_

Clinic Date: \_\_\_\_\_

PLEASE COMPLETE ALL OF THE INFORMATION BELOW - Please print using ink (Incomplete forms will not be accepted)

FIRST NAME of Student:		Middle Initial	LAST NAME of Student:		
Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female	Birthdate: (mo,day,yr)	M M D D Y Y Y Y	Age	Grade	Homeroom Teacher
Address			Phone	Mother's Maiden Name	
City	State	Zip Code	Student Race <input type="checkbox"/> African American / Black <input type="checkbox"/> White <input type="checkbox"/> Asian <input type="checkbox"/> Hispanic <input type="checkbox"/> Hawaiian / Pacific Islander <input type="checkbox"/> Alaskan/ Native-American <input type="checkbox"/> Other <input type="checkbox"/> Non-Hispanic		
Email address:					


The current health care laws require us to bill your insurance company for the vaccine. The service is offered at no cost to you. Answers are always confidential.

Please fill out the following questions pertaining to your child's health insurance:

<input type="checkbox"/> My child is NOT insured: <small>VFC Eligible</small>	<input type="checkbox"/> My child is enrolled with Medicaid	<input type="checkbox"/> My child has Commercial Insurance: (Please Provide Insurance Company Name) <small>Not VFC Eligible</small>
Policy Holder's First Name:	Policy Holder's Last Name:	
Member ID:	Policy Holder's Date of Birth: (mo,day,yr)	M M D D Y Y Y Y

CHECK YES OR NO FOR EACH QUESTION

YES	NO	
<input type="checkbox"/>	<input type="checkbox"/>	1. Has your child ever had a life-threatening reaction(s) to the flu vaccine in the past?
<input type="checkbox"/>	<input type="checkbox"/>	2. Has your child ever had Guillain-Barre' syndrome?
<input type="checkbox"/>	<input type="checkbox"/>	3. Does your child have an allergy to eggs?
<input type="checkbox"/>	<input type="checkbox"/>	4. Does your child have a blood disorder such as hemophilia?
<input type="checkbox"/>	<input type="checkbox"/>	5. Will this be the first time your child has ever received a flu vaccination?



IF YOU HAVE ANY HEALTH QUESTIONS, PLEASE CONTACT YOUR CHILD'S PEDIATRICIAN OR CALL US AT 205-609-0268 TO SPEAK TO A REPRESENTATIVE.


I have read the information about the vaccine and special precautions on the Vaccine Information Sheet. I am aware that I can locate the most current Vaccine Information Statement and other information at [www.immunize.org](http://www.immunize.org) or [www.cdc.gov](http://www.cdc.gov). I have had an opportunity to ask questions regarding the vaccine and understand the risks and benefits. I request and voluntarily consent for the vaccine to be given to the person listed above of whom I am the parent or legal guardian and having legal authority to make medical decisions on their behalf. I acknowledge no guarantees have been made concerning the vaccine's success. I hereby release the school system, HNH Immunizations, Inc., MaxVax LLC., Health Heroes and it's affiliates, subsidiaries, affiliated schools of nursing, their directors and employees from any and all liability arising from any accident or act of omission which arises during vaccination. I understand this consent is valid for 6 months and that I will make the school aware of any health changes prior to the vaccination clinic date. I acknowledge that I am giving permission for HNH Immunizations, Inc. to adjudicate and appeal claims with my insurance providers on my behalf. Clinic dates can be obtained from the school. I understand that the health-related information on this form will be used for insurance billing purposes and your privacy will be protected. I request and voluntarily consent for the vaccine to be given and recorded in Imprint for the person listed above.

Printed Name of Parent/Guardian \_\_\_\_\_

Signature of Parent/Guardian \_\_\_\_\_

Relationship to Child \_\_\_\_\_

Date \_\_\_\_\_

VIS CDC #V 08/06/2021 LOT Number: _____ RN # _____ <b>AREA FOR OFFICIAL ADMINISTRATION USE ONLY</b>	<b>INFLUENZA</b> EXP Date: _____ Date: _____	<b>HNH Immunizations Inc.</b> 326 Prairie St. North Union Springs, AL 36089 <a href="mailto:AL@healthherousa.com">AL@healthherousa.com</a> <b>205-609-0268</b>	
--	--	--	---

# Influenza (Flu) Vaccine (Inactivated or Recombinant): What you need to know

Many vaccine information statements are available in Spanish and other languages. See [www.aminimiza.org/vs](http://www.aminimiza.org/vs).  
 Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite [www.influnza.org/vs](http://www.influnza.org/vs)

## 1. Why get vaccinated?

### Influenza vaccine can prevent influenza (flu).

Flu is a contagious disease that spreads around the United States every year, usually between October and May. Anyone can get the flu, but it is more dangerous for some people. Infants and young children, people 65 years and older, pregnant people, and people with certain health conditions or a weakened immune system are at greatest risk of flu complications.

Pneumonia, bronchitis, sinus infections, and ear infections are examples of flu-related complications. If you have a medical condition, such as heart disease, cancer, or diabetes, flu can make it worse. Flu can cause fever and chills, sore throat, muscle aches, fatigue, cough, headache, and runny or stuffy nose. Some people may have vomiting and diarrhea, though this is more common in children than adults. In an average year, **thousands of people in the United States die from flu**, and many more are hospitalized. Flu vaccine prevents millions of illnesses and flu-related visits to the doctor each year.

## 2. Influenza vaccines

CDC recommends everyone 6 months and older get vaccinated every flu season. **Children 6 months through 8 years of age** may need 2 doses during a single flu season. **Everyone else** needs only 1 dose each flu season.

It takes about 2 weeks for protection to develop after vaccination.

There are many flu viruses, and they are always changing. Each year a new flu vaccine is made to protect against the influenza viruses believed to be likely to cause disease in the upcoming flu season.

## 4. Risks of a vaccine reaction

- Soreness, redness, and swelling where the shot is given, fever, muscle aches, and headache can happen after influenza vaccination.
- There may be a very small increased risk of Guillain-Barré Syndrome (GBS) after inactivated influenza vaccine (the flu shot).

Young children who get the flu shot along with pneumococcal vaccine (PCV13) and/or DTaP vaccine at the same time might be slightly more likely to have a seizure caused by fever. Tell your health care provider if a child who is getting flu vaccine has ever had a seizure.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

## 5. What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call 9-1-1 and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at [www.vaers.hhs.gov](http://www.vaers.hhs.gov) or call 1-800-822-7967. VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.

## 6. The National Vaccine Injury Compensation Program

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Claims regarding alleged injury or death due to vaccination have a time limit for filing, which may be as short as two years. Visit the VICP website at [www.hrsa.gov/vaccinecompensation](http://www.hrsa.gov/vaccinecompensation) or call 1-800-338-2382 to learn about the program and about filing a claim.

## 7. How can I learn more?

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at [www.fda.gov/vaccines-blood-biologics/vaccines](http://www.fda.gov/vaccines-blood-biologics/vaccines).
- Contact the Centers for Disease Control and Prevention (CDC):  
 - Call 1-800-232-4636 (1-800-CDC-INFO) or  
 - Visit CDC's website at [www.cdc.gov/flu](http://www.cdc.gov/flu).



U.S. Department of Health and Human Services  
 Centers for Disease Control and Prevention



# Influenza (Flu) Vaccine (Inactivated or Recombinant): What you need to know

Many vaccine information statements are available in Spanish and other languages. See [www.immuniza.org/vi](http://www.immuniza.org/vi).  
 Hojas de información sobre vacunas están disponibles en español y en muchas otras idiomas. Visite [www.immuniza.org/vi](http://www.immuniza.org/vi)

## 1. Why get vaccinated?

### Influenza vaccine can prevent influenza (flu).

Flu is a contagious disease that spreads around the United States every year, usually between October and May. Anyone can get the flu, but it is more dangerous for some people. Infants and young children, people 65 years and older, pregnant people, and people with certain health conditions or a weakened immune system are at greatest risk of flu complications.

Pneumonia, bronchitis, sinus infections, and ear infections are examples of flu-related complications. If you have a medical condition, such as heart disease, cancer, or diabetes, flu can make it worse. Flu can cause fever and chills, sore throat, muscle aches, fatigue, cough, headache, and runny or stuffy nose. Some people may have vomiting and diarrhea, though this is more common in children than adults. In an average year, **thousands of people in the United States die from flu**, and many more are hospitalized. Flu vaccine prevents millions of illnesses and flu-related visits to the doctor each year.

## 2. Influenza vaccines

CDC recommends everyone 6 months and older get vaccinated every flu season. **Children 6 months through 8 years of age** may need 2 doses during a single flu season. **Everyone else** needs only 1 dose each flu season.

It takes about 2 weeks for protection to develop after vaccination.

There are many flu viruses, and they are always changing. Each year a new flu vaccine is made to protect against the influenza viruses believed to be likely to cause disease in the upcoming flu season.

## 4. Risks of a vaccine reaction

- Soreness, redness, and swelling where the shot is given, fever, muscle aches, and headache can happen after influenza vaccination.
- There may be a very small increased risk of Guillain-Barré Syndrome (GBS) after inactivated influenza vaccine (the flu shot).

Young children who get the flu shot along with pneumococcal vaccine (PCV13) and/or DTaP vaccine at the same time might be slightly more likely to have a seizure caused by fever. Tell your health care provider if a child who is getting flu vaccine has ever had a seizure.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

## 5. What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call 9-1-1 and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at [www.vaers.hhs.gov](http://www.vaers.hhs.gov) or call 1-800-822-7967. VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.

## 6. The National Vaccine Injury Compensation Program

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Claims regarding alleged injury or death due to vaccination have a time limit for filing, which may be as short as two years. Visit the VICP website at [www.hrsa.gov/vaccinecompensation](http://www.hrsa.gov/vaccinecompensation) or call 1-800-338-2382 to learn about the program and about filing a claim.

## 7. How can I learn more?

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at [www.fda.gov/vaccines-blood-biologics/vaccines](http://www.fda.gov/vaccines-blood-biologics/vaccines).
- Contact the Centers for Disease Control and Prevention (CDC):
  - Call 1-800-232-4636 (1-800-CDC-INFO) or
  - Visit CDC's website at [www.cdc.gov/flu](http://www.cdc.gov/flu).



U.S. Department of Health and Human Services  
 Centers for Disease Control and Prevention

Vaccine Information Statement  
**Inactivated Influenza Vaccine**

42 U.S.C. § 300aa-26  
 8/6/2021

OFFICE USE ONLY

